

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	11	HTTP with cache\$4 with fragment with (ID identifier)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L2	0	L1 and @ad<"20011219"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L3	12	cache\$4 with fragment with HTTP with header	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L4	1	L3 and @ad<"20011219"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L5	11	L3 and L1	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L6	2	"6557076".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L7	1	L6 and cach\$3 with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L8	0	L6 and header with fragment with body	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L9	0	L6 and header with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L10	0	L6 and cacheable	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23

L11	2	"6557076".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L12	1	L11 and server with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L13	0	L11 and dependency	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L14	1	L11 and cache with ID	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L15	1	L11 and cache adj2 ID	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L16	0	L11 and rule	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L17	2766	711/118.ocls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L18	127	(fragment same cach\$3 same header)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L19	449	709/241.ocls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L20	7034	709/217.ocls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L21	18	L18.ab.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L22	1	L18.ti.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23

L23	438	fragment near2 cach\$3	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L24	107	L23.ab.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L25	51	L23.ti.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L26	1071	fragment with cach\$3 supoort	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L27	0	fragment with cach\$3 with supoort	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L28	59	fragment with cach\$3 with identifier	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L29	9088	711/111,112,113,114,115,116,117.ocls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L30	477	717/148.ocls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L31	11	HTTP with cache\$4 with fragment with (ID identifier)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L32	0	L31 and @ad<"20011219"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L33	12	cache\$4 with fragment with HTTP with header	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L34	1	L33 and @ad<"20011219"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23

L35	11	L33 and L31	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L36	2	"6557076".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L37	1	L36 and cach\$3 with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L38	0	L36 and header with fragment with body	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L39	0	L36 and header with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L40	0	L36 and cacheable	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L41	2	"6557076".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L42	1	L41 and server with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L43	0	L41 and dependency	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L44	1	L41 and cache with ID	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L45	1	L41 and cache adj2 ID	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L46	0	L41 and rule	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23

L47	2766	711/118.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L48	127	(fragment same cach\$3 same header)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L49	449	709/241.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L50	7034	709/217.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L51	18	L48.ab.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L52	1	L48.tl.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L53	438	fragment near2 cach\$3	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L54	107	L53.ab.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L55	51	L53.tl.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L56	1071	fragment with cach\$3 supoort	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L57	0	fragment with cach\$3 with supoort	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L58	59	fragment with cach\$3 with identifier	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23

L59	9088	711/111,112,113,114,115,116,117.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
L60	477	717/148.ccls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/14 17:23
S1	8	HTTP with cache\$4 with fragment with (ID identifier)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:14
S2	0	S1 and @ad<"20011219"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:14
S3	8	cache\$4 with fragment with HTTP with header	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:15
S4	0	S3 and @ad<"20011219"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:15
S5	8	S3 and S1	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:15
S6	2	"6557076".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 15:20
S7	1	S6 and cach\$3 with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:22
S8	0	S6 and header with fragment with body	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:23
S9	0	S6 and header with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:23
S10	0	S6 and cacheable	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/27 16:26

S11	2	"6557076".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 13:40
S12	1	S11 and server with fragment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 13:40
S13	0	S11 and dependency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:12
S14	1	S11 and cache with ID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:53
S15	1	S11 and cache adj2 ID	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:54
S16	0	S11 and rule	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 14:57
S17	2357	711/118.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:13
S18	104	(fragment same cach\$3 same header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:14
S19	349	709/241.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:14
S20	5762	709/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:14
S21	13	S18.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:14
S22	0	S18.ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:14

S23	358	fragment near2 cach\$3	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:15
S24	89	S23.ab.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:15
S25	42	S23.ti.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:15
S26	908	fragment with cach\$3 supooft	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:15
S27	0	fragment with cach\$3 with supooft	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:15
S28	51	fragment with cach\$3 with identifier	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:16
S29	7598	711/111,112,113,114,115,116,117.ocls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:21
S30	399	717/148.ocls.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/28 15:21
S31	10	HTTP with cache\$4 with fragment with (ID identifier)	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S32	0	S31 and @ad<"20011219"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S33	10	cache\$4 with fragment with HTTP with header	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S34	0	S33 and @ad<"20011219"	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04



S35	10	S33 and S31	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S36	2	"6557076".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S37	1	S36 and cach\$3 with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S38	0	S36 and header with fragment with body	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S39	0	S36 and header with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S40	0	S36 and cacheable	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S41	2	"6557076".pn.	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S42	1	S41 and server with fragment	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S43	0	S41 and dependency	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S44	1	S41 and cache with ID	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S45	1	S41 and cache adj2 ID	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S46	0	S41 and rule	US-PGRUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04

S47	2563	711/118.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S48	119	(fragment same cach\$3 same header)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S49	411	709/241.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S50	6406	709/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S51	17	S48.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S52	1	S48.tl.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S53	396	fragment near2 cach\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S54	96	S53.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S55	48	S53.tl.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S56	992	fragment with cach\$3 supoort	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S57	0	fragment with cach\$3 with supoort	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S58	56	fragment with cach\$3 with identifier	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04

S59	8398	711/111,112,113,114,115,116,117.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04
S60	431	717/148.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:04

7/ 14/ 09 5:25:25 PM

C:\Documents and Settings\awang2\My Documents\EAST\Workspaces\10034772.wsp